MQTT - Enabling Edge-device Connectivity in the IIoT Era


Although the MQTT protocol has been around for nearly three decades, the design of the protocol

makes it ideal for Industrial Internet of Things (IIoT) applications, the latest trend in automation


engineering, MQTT is especially helpful in bringing field-site data to cloud platforms. Read on to

dicover how MQTT can help you overcome the challanges of tranforming a traditional OT

application to an IIoT application.




The MQTT protocol is now the top chice for most IIoT applications. As shown on Fiure1, more than half of IoT developers use MQTT as their communication protocol



What is MQTT

MQTT uses a publish-subscribe pattern (see Figure 2) with one broker and serveral publisher and subscriber clients. Publishers send data to the broker, which distributes the data to subscribers



Publish-subscribe Messaging Pattern

Only the broker needs to be online all the time. The clients only need to get online when a connection is available or when they need to send or receive data.

Event-drivenMQTT clients only publish data to the broker when certain conditions are met (e.g., a warning signal is triggered). That is, cleint actively updata data, instead of passively waiting for another device to request the data.

Many-to-many Communication

In factory machine-to-machine (M2M) applications machines at each station share their own process statuses with machine at other stations. Using MQTT to implement M2M communication improves both efficiency and reliability.

QoS Design

The MQTT protocol uses three QoS levels to prioritize data:QoS 0 (at moste once), QoS 1 (at last once), or QoS 2 (exactly once).

Security

MQTT brokers support account names and passwords to prevent unauthorized clients from connecting to the broker to subscribe to

topics, and TLS encryption for data transmissions greatly minimizes the chance that data will get hackes during transmission.

MQTT Application Architecture


Two major system arcitectures are used:

Connecting Directly to the Cloud

Most oulic cloud services (AWS, Azure, Google Cloud, Alibaba Cloud, etc.) support the MQTT protocol to allow edge devices to


connet directly to the cloud to remain competetive and help shape the future of the industry, cloud services should at least provide the

following benefits: time saving, non-stop service and a rich set of data mining tools.



Connecting to a Local Gateway

Connecting edge devices directly to the cloud has benefits, but you should also be aware of various concerns related to adopting cloud services for IIoT applications: cost and data security.



The Challenges of Converting to an IIoT Application

You can expect to encounter some or all of the following challanges when transforming a traditional OT application to an IIoT application

Legacy Devices Currently In Use Do Not Support MQTT

For many facillities, engineer will first need to survey and purchase new remote I/O products and gateways that support MQTT. With so

many legacy devices still being used at field sites around the globe, converting a factory to an IIoT-based setup could require a huge investment

Merging IT With Traditional Automation Applications Is Easier Said Tahn Done

For example OT protocols like Modbus use data packets with small headers and payloads whereas IT protocols use MQTT, RESTful

API and SNMP to collect data. Many ITengineers are not familiar with Modbus.